



Slimline Metals from



### 10mm GEOMETRIC SHAPES -Simply stunning

- ◆ 10mm SOLID Stainless Steel Rod
- ◆ BESPOKE MADE TO MEASURE SERVICE produced to your specific requirements
- ◆ Suitable for LIGHT weight curtains
- ◆ Straight runs only
- 6 STUNNING Finials
- ◆ 16mm Stainless Steel Tube with 7 different ends also available



#### 11900-10 - 16 SOLID STAINLESS STEEL

Stock Unit - CUT TO SIZE Stock Length - 5 metre

IMPORTANT POINT TO NOTE - CENTRE BRACKET RECOMMENDED AT 1.50m AND OVER (5' 0")

#### STAINLESS STEEL FINIALS



#### 3435 - 16 GROOVED BALL

Stock Unit EACH Dimensions 29 x 29mm

#### 3432 - 16 GROOVED CONE

Stock Unit EACH Dimensions 50 x 25mm

#### 3431 - 16 PLAIN CONE

Stock Unit EACH Dimensions 37 x 29mm

#### 3434 - 16 PLAIN BALL

Stock Unit EACH Dimensions 29 x 29mm

#### 3435 - 16 GROOVED CYLINDER

Stock Unit EACH Dimensions 38 x 21mm

#### 124010 - 16 END CAP

Stock Unit EACH Depth 11mm (fits over pole)

• Finials "push fit" onto pole

#### **BRACKETS & RINGS**



#### 11755-50 - 16 CUP BRACKET

Stock Unit EACH

Projection 45mm Base diameter 38mm

- ◆ Pole "clips" firmly into Cup of Bracket
- ◆ Projection is from the WALL to the BACK of pole
- Brackets supplied with metal Fixing Plate and fixings

#### 11856 - 16 RECESS BRACKET

Stock Unit EACH
Base diameter 34mm

- Brackets supplied with metal Fixing Plate and fixings
- ◆ Socket unscrews from base


#### 812 - 29 RING with Plastic Clip

Stock Unit EACH
Dimensions 36 x 28mm

# 12mm GEOMETRIC SHAPES - Simply stunning

- BESPOKE MADE TO MEASURE SERVICE produced to your specific requirements
- ◆ Suitable for LIGHT weight curtains
- ◆ Straight runs only
- 6 STUNNING Finials
- ♦ 5 FINISHES of pole on STEEL tube


12mm diameter TUBING



801 - 12-24 SATIN BRASS Stock Unit - CUT TO SIZE. Stock Length - 5 metre

801 - 12-22 POLISHED CHROME Stock Unit - CUT TO SIZE. Stock Length - 5 metre

801 - 12-29 SATIN NICKEL Stock Unit - CUT TO SIZE. Stock Length - 5 metre



Also available in SATIN BRONZE (not shown)

IMPORTANT POINT TO NOTE - CENTRE BRACKET RECOMMENDED AT 1.50m AND OVER (5' 0")

#### 3422 PLAIN FERRULE

Stock Unit EACH Dimensions 47 x 34mm

#### 3421 PLAIN BALL

Stock Unit EACH Dimensions 35 x 35mm

#### 3420 PLAIN CONE

Stock Unit EACH Dimensions 45 x 34mm

#### 3425 PLAIN CYLINDER

Stock Unit EACH Dimensions 45 x 25mm

#### 124012 END CAP

Stock Unit EACH Depth 12mm (fits over pole)

#### 3428 PLAIN PYRAMID

Stock Unit EACH Dimensions 45 x 34mm

• Finials "push fit" onto pole



**BRACKETS & RINGS** 

# 11800

#### 11800 CUP BRACKET

Stock Unit EACH

Projection 75mm Base diameter 45mm

- ◆ Pole "clips" firmly into Cup of Bracket
- ◆ Projection is from the WALL to the BACK of pole
- Brackets supplied with metal Fixing Plate and fixings

#### 832 FLAT FACE RING with plastic clip

Stock Unit EACH Dimensions 28 x 22mm

◆ Different styles of rings available - ask for details

#### 11805 RECESS BRACKET

Stock Unit EACH Base diameter 45mm

- Brackets supplied with metal Fixing Plate and fixings
- ◆ Socket unscrews from Base

# 16mm COLOURED GLASS Deep and Rich

- ♦ 5 FINISHES of pole on STEEL tube
- ◆ BESPOKE MADE TO MEASURE SERVICE produced to your specific requirements
- ◆ Suitable for LIGHT weight curtains
- ◆ Straight runs only

#### 16mm diameter TUBING



#### 801-16 - 24 SATIN BRASS

Stock Unit - CUT TO SIZE. Stock Length - 5 metre

#### 801-16 - 23 POLISHED BRASS

Stock Unit - CUT TO SIZE. Stock Length - 5 metre

#### 801-16 - 29 SATIN NICKEL

Stock Unit - CUT TO SIZE. Stock Length - 5 metre

#### 801-16 - 70 ANTIQUE BRASS

Stock Unit - CUT TO SIZE. Stock Length - 5 metre

#### 801-16 - 22 POLISHED CHROME

Stock Unit - CUT TO SIZE. Stock Length - 5 metre

IMPORTANT POINT TO NOTE - CENTRE BRACKET RECOMMENDED AT 1.60m AND OVER (5' 0")

#### **BRACKETS & RINGS**



#### 125320 SOLID RING with metal eye

Stock Unit EACH
Dimensions 36 x 28mm

#### 125620 SOLID RING with PLASTIC INSERT and metal eye

Stock Unit EACH
Dimensions 36 x 28mm

◆ Plastic insert allows for smoother, quieter and effortless movement

#### 823 SOLID RING with plastic clip

Stock Unit EACH
Dimensions 30 x 22mm

#### 416-80 CUP BRACKET

Stock Unit EACH

Projection 72mm Base diameter 38mm

- ◆ Pole "clips" firmly into Cup of Bracket
- Projection is from the WALL to the BACK of pole
- ◆ Brackets supplied with metal Fixing Plate
- ◆ Woodscrews and Plastic Plugs supplied

#### 11950-16 SINGLE POLE RING BRACKET

Stock Unit EACH

Projection 112mm Base diameter 48mm

- Bracket "locks" securely onto pole by use of small grub screw (Allen key provided)
- Unless otherwise specified ALL poles will be supplied with the RING Bracket
- Bracket can be cut down to shorten projection minimum 50mm
- ◆ Woodscrews and Plastic Plugs supplied

#### 122016 RECESS BRACKET

Stock Unit EACH

Base diameter 37mm

- Bracket fixes direct to wall
- ◆ Woodscrews and Plastic Plugs supplied
- Socket unscrews from base

# 16mm COLOURED GLASS -Deep and Rich

- ◆ 3 STUNNING colourways
- ◆ ATTRACTIVELY captured "Bubbles"

#### 3382 - 102 GREEN GLASS BALL

Stock Unit - EACH Shown here on Polished Chrome ◆ Finial size 50 x 50mm

#### 3382 - 100 CLEAR GLASS BALL

Stock Unit - EACH Shown here on Polished Brass ◆ Finial size 50 x 50mm

- ◆ End and Sleeve securely attached to pole by small grub screw. (Allen key provided).
- Choice of 5 finishes of tubing:
  - 22 Polished Chrome
  - 23 Polished Brass
  - 24 Satin Brass 29 - Satin Nickel
  - 70 Antique Brass

#### 3382 - 101 BLUE GLASS BALL

Stock Unit - EACH Shown here on Satin Nickel • Finial size 50 x 50mm

#### 3383 - 102 GREEN GLASS PEARDROP

Stock Unit - EACH Shown here on Polished Brass • Finial size 60 x 40mm

#### 3383 - 100 CLEAR GLASS PEARDROP

Stock Unit - EACH Shown here on Satin Nickel ◆ Finial size 60 x 40mm

#### 3383 - 101 BLUE GLASS PEARDROP


Stock Unit - EACH Shown here on Satin Brass • Finial size 60 x 40mm



### 16, 20 & 28mm SLIMLINE ELEGANCE sleek and modern

- ◆ 5 FINISHES of pole on STEEL tube
- ◆ BESPOKE MADE TO MEASURE SERVICE produced to your specific requirements
- ◆ 16mm suitable for LIGHT weight curtains
- ◆ 20mm and 28mm suitable for MEDIUM weight curtains
- Can be bent

#### TUBING



#### IMPORTANT POINT TO NOTE -CENTRE BRACKET RECOMMENDATIONS

16mm 1.60m and over (5' 0")

20mm1.80m and over (9'0'')

28mm2.20m and over (7'2'')

#### 801-XX - 24 SATIN BRASS

Stock Unit - CUT TO SIZE. Stock Length - 5 metre

#### 801-XX - 23 POLISHED BRASS

Stock Unit - CUT TO SIZE. Stock Length - 5 metre

#### 801-XX - 29 SATIN NICKEL

Stock Unit - CUT TO SIZE. Stock Length - 5 metre

#### 801-XX - 70 ANTIQUE BRASS

Stock Unit - CUT TO SIZE. Stock Length - 5 metre

#### 801-XX - 22 POLISHED CHROME

Stock Unit - CUT TO SIZE. Stock Length - 5 metre

XX Please specify diameter of tube required

#### **BRACKETS**






#### SINGLE POLE CUP BRACKET

	16mm	20mm	28mm
Code	416-80	401-80	400-80
Stock Unit	EACH	EACH	EACH
Projection	72mm	70mm	66mm
Base diameter	· 38mm	38mm	54mm

- ◆ Pole "clips" firmly into Cup of bracket
- ◆ Projection is from WALL to BACK of pole
- Brackets supplied with metal Fixing Plate
- Woodscrews and Plastic Plugs supplied

#### 11950 SINGLE POLE RING BRACKET



- (Allen key provided)
- ◆ Projection is from WALL to BACK of pole
- Unless otherwise specified ALL poles will be supplied with the RING
- ◆ Bracket can be cut down to shorten projection minimum 50mm
- Brackets supplied with metal Fixing Plate
- Woodscrews and Plastic Plugs supplied



# 16, 20 & 28mm SLIMLINE ELEGANCE - sleek and modern

#### 11952 DOUBLE POLE RING BRACKET

	16mm	20mm	28mm
Code	11952-16	11952-20	11952-28
Stock Unit	EACH	EACH	EACH
Projection			
to BACK pole	112mm	110mm	131mm
to FRONT pole	187mm	185mm	206mm
Base diameter	48mm	48mm	48mm

- Bracket "locks" securely onto pole by use of small grub screw (Allen key provided)
- ◆ Projection is from WALL to BACK of pole
- Bracket can be cut down to shorten projection minimum 50mm
- ◆ Brackets supplied with Metal Fixing Plate, Woodscrews & Plastic Plugs

#### 1220xx RECESS SOCKET

	16mm	20mm	28mm
Code	122016	122020	122028
Stock Unit	EACH	EACH	EACH
Base diameter	37mm	43mm	51mm
Depth of Socket	22mm	25mm	30mm

- Socket "locks" securely onto pole by use of small grub screw (Allen key provided)
- ◆ Base plate fixes DIRECT to wall
- ◆ Socket unscrews from base
- ◆ Woodscrews and Plastic Plugs supplied

#### 20mm & 28mm PASSING BRACKETS & "C" RINGS

- Specifically designed for use on bay windows where extra supports are needed for one pair of curtains
- Bracket designed to allow rings to "pass over" support without being impeded
- Ring has neat cut away section allowing it to pass smoothly over support
- ◆ Available for 20mm and 28mm poles only
- ◆ Suitable for LIGHT to MEDIUM weight curtains ONLY
- Heavier weight material IS NOT SUITABLE as this could lead to the "C" ring aperture opening up or failing

#### 11954 PASSING BRACKET

	20mm	28mm
Code	11954-20	11954-28
Stock Unit	EACH	EACH
Projection	110mm	131mm
Rase diameter	48mm	48mm

- ◆ Projection is from WALL to BACK of pole
- ◆ Bracket can be cut down to shorten projection minimum 50mm
- ◆ Bracket supplied with Metal Fixing Plate, Woodscrews & Plastic Plugs

#### "C" RINGS with metal eye

 Suitable for
 20mm
 28mm

 Stock Unit
 EACH
 EACH

 Dimensions
 36 x 28mm
 46 x 36mm

#### SOLID RINGS with metal eye

 Suitable for
 16/20mm
 28mm

 Code
 125320
 125328

 Stock Unit
 EACH
 EACH

 Dimensions
 36 x 28mm
 46 x 36mm

#### SOLID RINGS with PLASTIC INSERT and metal eye

 Suitable for
 16/20mm
 28mm


 Code
 125620
 125630


 Stock Unit
 EACH
 EACH

 Dimensions
 36 x 28mm
 46 x 36mm


Plastic insert allows for smoother, quieter and effortless movement

#### **BRACKETS**





#### **RINGS**




#### SOLID RINGS with plastic clip

Suitable for	16/20mm	28mm
Code	812	813
Stock Unit	EACH	EACH
Dimensions	36 x 28mm	46 x 36mm

### 16 & 20mm ALUMINIUM CHANNEL SYSTEM smooth and effortless

- ◆ ATTRACTIVELY styled aluminium profile
- ◆ BESPOKE MADE TO MEASURE SERVICE product produced to your specific requirements
- ◆ Suitable for LIGHT to MEDIUM weight curtains
- ◆ Straight runs only
- ◆ Cannot be corded



#### IMPORTANT POINT TO NOTE -CENTRE BRACKET RECOMMENDATIONS

16mm 1.60m and over (5' 0'')

20mm

1.80m and over (6'0'')

#### 808-XX - 24 SATIN BRASS

Stock Unit - CUT TO SIZE. Stock Length - 6 metre

#### 808-XX - 23 POLISHED BRASS

Stock Unit - CUT TO SIZE. Stock Length - 6 metre

#### 808-XX - 29 SATIN NICKEL

Stock Unit - CUT TO SIZE. Stock Length - 6 metre

#### 808-XX - 70 ANTIQUE BRASS

Stock Unit - CUT TO SIZE. Stock Length - 6 metre

#### 808-XX - 22 POLISHED CHROME

Stock Unit - CUT TO SIZE. Stock Length - 6 metre

#### XX Please specify diameter of Channel required

• Due to different metals used, Aluminium for the Channel and Brass for the Fittings, there will be a slight colour variance.

#### **BRACKETS & FITTINGS**





#### **OVERCLIP SUPPORT**

	16mm	20mm
Code	11770-50	11870-50
Stock Unit	EACH	EACH
Projection	42mm	40mm
Base plate diameter	48mm	48mm
Code	11770	11870
Stock Unit	EACH	EACH
Projection	72mm	70mm
Base plate diameter	48mm	48mm

- ◆ Projection is from WALL to BACK of pole
- ◆ Supplied with Metal Fixing Plate, Woodscrews & Plugs

#### 799-2-00 WHITE PLASTIC END STOP

Stock Unit EACH

• Insert into Channel, TWIST eye to LOCK into place

#### 739-00 WHITE PLASTIC GLIDER with clip Stock Unit EACH

• Drop from track to bottom of glider 23mm

#### 740-00 WHITE PLASTIC GLIDER with eye

Stock Unit EACH


Drop from track to bottom of glider 7mm

#### **FINIALS**

- \*\*\* For details of Finials see page H13
- Overclip Bracket has a flat angled pivot plate which inserts into the channel, and is locked securely in place by the tightening of the fixing screw located in the top of the bracket (Allen key provided)

# 28mm HAND DRAWN CHANNEL SYSTEM - smooth and effortless

- ◆ ATTRACTIVELY styled aluminium profile
- ◆ BESPOKE MADE TO MEASURE SERVICE product produced to your specific requirements
- ◆ Suitable for LIGHT to MEDIUM weight curtains up to 12kg
- ◆ STRAIGHT runs only
- ◆ Can be CORDED supplied as a COMPLETE system see page H9
- ◆ Can be MOTORISED supplied as a COMPLETE system see page H10
- ◆ Suitable for WAVE system



#### 808-28 ALUMINIUM CHANNEL SYSTEM

Stock Unit CUT TO SIZE

Stock Length 6 metre

• Please note that the anodising process of polished brass and satin brass, will result in the channel being slightly different in "finish" to the SOLID brass used to manufacture fittings. This is unavoidable and is kept to an absolute minimum.

#### HAND DRAWN system available in





#### IMPORTANT POINT TO NOTE - CENTRE BRACKET RECOMMENDED AT 2.20m AND OVER (7' 0")

#### Choice of roller glider

- Smooth running BALL BEARING Rollers

   shown here on the left
- Free running & quiet RUBBERISED WHEELED Rollers
   shown here on the right

#### **FINIALS**

\*\*\* For details of Finials - see page H13





# 28mm CORD DRAWN CHANNEL SYSTEM - smooth and effortless

- ◆ ATTRACTIVELY styled aluminium profile
- ◆ BESPOKE MADE TO MEASURE SERVICE product produced to your specific requirements
- ◆ Suitable for LIGHT to MEDIUM weight curtains up to 12kg
- ◆ STRAIGHT runs only
- ◆ Pully housing fits FLUSH to the pole NO ungainly or bulbous pulley houses
- ◆ Supplied as a COMPLETE system
- ◆ Can be MOTORISED supplied as a COMPLETE system see opposite
- ◆ Suitable for WAVE system



#### CORD DRAWN system available in





FINIALS

\*\*\* For details of Finials see page H13

# 28mm MOTORISED CHANNEL SYSTEM - smooth and effortless

- ◆ ATTRACTIVELY styled aluminium profile
- ◆ BESPOKE MADE TO MEASURE SERVICE product produced to your specific requirements
- ◆ Suitable for ALL weights of curtains
- ◆ STRAIGHT runs only
- ◆ Motor housing OFFSET allowing curtains to run straight and true
- Supplied as a COMPLETE system includes wireless receiver and 15 channel hand held remote control
- ◆ EASY TO INSTALL NO electrician needed motor fits directly into pulley housing
- ◆ Available in Polished Chrome, Matt Black, Gloss White and Satin Nickel
- ◆ Suitable for HOME AUTOMATION systems to be installed ONLY by a qualified electrician



# 28mm MOTORISED CHANNEL SYSTEM - smooth and effortless

- ◆ BESPOKE MADE TO MEASURE SERVICE product produced to your specific requirements
- ◆ Suitable for ALL weights of curtains
- ◆ STRAIGHT runs only
- ◆ Motor housing OFFSET allowing curtains to run straight and true
- Supplied as a COMPLETE system includes motor, wireless receiver, transformer with 3m of cable & a fitted 3 pin plug and hand held remote control
- ◆ EASY TO INSTALL NO electrician needed motor fits directly into pulley housing
- ◆ Suitable for HOME AUTOMATION systems to be installed ONLY by a qualified electrician



#### MOTOR

- Operating Voltage 24V
- ◆ Power Output +/- 40 Watt
- ◆ Curtain Speed 15cm/sec
- ◆ Indoor use only
- Manual Override in case of power failure
- Dimensions 230mm x 50mm x 70mm

#### WIRELESS RECEIVER

- ◆ Indoor use only
- Dimensions 88mm x 40mm x 23mm



#### TRANSFORMER complete with wall cradle

- Dimensions 107mm x 50mm x 28mm
- ◆ Length of cable to motor 50cm
- Length of cable to 3 pin plug 3 metres (approx)



#### REMOTE CONTROL complete with wall cradle

- Dimensions 110mm x 60mm x 12mm
- ◆ 3V battery supplied (CR2430)
- Features: Clock, Manual open/close & Timer
- 15 channels each channel can control up to 20 motors
- ◆ Colour black
- "Stop" button feature can stop Curtains at any point
- ◆ WIRELESS WALL MOUNTED CONTROL SWITCH also available see page A30 for full details


# 28mm ALUMINIUM CHANNEL SYSTEM - smooth and effortless

- ◆ BESPOKE MADE TO MEASURE SERVICE product produced to your specific requirements
- ◆ Suitable for LIGHT to MEDIUM weight curtains
- ◆ STRAIGHT runs only
- ◆ Choice of FACE fix or TOP fix bracket

#### 11670 FACE FIX OVERCLIP BRACKET

Stock UnitEACHProjection66mmBase diameter48mm

- ◆ Projection is from WALL to BACK of pole
- Supplied with Metal Fixing Plate, Woodscrews and Plugs



#### 11592-00 DISCREET TOP FIX BRACKET


Stock Unit EACH
Depth 3mm
Overall length 40mm

Supplied with Woodscrews and Plugs

#### 11590-1 "EASY LOCK" TOP FIX BRACKET

Stock UnitEACHDepth6mmOverall length40mmOverall width34mm

- Easy to use lever lock bracket, brackets can be fixed to ceiling before intallation of channel system
- ◆ Supplied with Woodscrews and Plugs









### Detailed sequence shots showing the "EASY LOCK" system in use.

- Place the channel system into the bracket and turn the lever anti-clockwise/to the left to lock the channel in place
- Reverse the process to release







# 16, 20 & 28mm SLIMLINE ELEGANCE - the finial collection - sleek and modern

- Finials fit OVER pole and are securely retained by a small grub screw. (Allen key provided)
- ◆ The first figure of the dimension = how much the finial extends from the pole



#### **ALASSIO BALL**

To fit	16mm	20mm	28mm pole
Code	3364	3363	3362
Stock Unit	EACH	EACH	EACH
Dimensions	49 x 40mm	61 x 48mm	80 x 60mm



#### **BOLOGNA**

16mm	20mm	28mm pole
680-16	680-20	680-28
EACH	EACH	EACH
26 x 25mm	30 x 31mm	45 x 43mm
	20	20 1
	<b>680-16</b> EACH	680-16 680-20 EACH EACH 26 x 25mm 30 x 31mm

#### To fit 16mm 20mm 28mm pole 675-28 675-16 675-20 Code Stock Unit EACH EACH **EACH** Dimensions 31 x 35mm 37 x 45mm 55 x 60mm

#### **PEROSA**

To fit	16mm	20mm	28mm pole
Code	665-16	665-20	665-28
Stock Unit	EACH	EACH	EACH
Dimensions	32 x 35mm	36 x 45mm	54 x 60mm



### 680 BOLOGNA, 675 RIMINI and the 665 PEROSA are available in the following COLOUR combinations

- 12 Polished Brass/Satin Brass/Polished Brass
- 13 Satin Brass/Polished Brass/Satin Brass
- 36 Satin Nickel/Satin Brass/Satin Nickel
- 37 Satin Brass/Satin Nickel/Satin Brass
- 38 Polished Chrome/Polished Brass/Polished Chrome
- 37 Polished Brass/Polished Chrome/Polished Brass
- 54 Satin Nickel/Polished Chrome/Satin Nickel
- 55 Polished Chrome/Satin Nickel/Polished Chrome



#### RIVA CONE

To fit Code Stock Unit	16mm 3358 EACH	20mm 3357 EACH	28mm pole 3356 EACH
Dimensions	38 x 40mm	48 x 48mm	65 x 60mm
RAGUSA			
To fit	16mm	20mm	28mm pole
Code	3367	3366	3365
Stock Unit	EACH	EACH	EACH
Dimensions	21 x 40mm	26 x 48mm	35 x 60mm
END CAP			
To fit	16mm	20mm	28mm pole
Code	124016	124020	124028
Stock Unit	EACH	EACH	EACH
Depth	10mm	15mm	17mm
(fits over pole)			

# 20 & 28mm SLIMLINE ELEGANCE - the finial collection - sleek and modern

• Finials fit OVER pole and are securely retained by a small grub screw. (Allen key provided)

#### **MESSINA**

To fit	20mm	28mm pole
Code	695-20	695
Stock Unit	EACH	EACH
Dimensions	79 x 24mm	117 x 35mm

#### **PESCARA**

To fit	20mm	28mm pole
Code	690-20	690
Stock Unit	EACH	EACH
Dimensions	79 x 24mm	117 x 35mm

### 690 PESCARA and the 695 MESSINA are available in the following COLOUR combinations

- 12 Polished Brass/Satin Brass/Polished Brass
- 13 Satin Brass/Polished Brass/Satin Brass
- 36 Satin Nickel/Satin Brass/Satin Nickel
- 37 Satin Brass/Satin Nickel/Satin Brass
- 38 Polished Chrome/Polished Brass/Polished Chrome
- 37 Polished Brass/Polished Chrome/Polished Brass
- 54 Satin Nickel/Polished Chrome/Satin Nickel
- 55 Polished Chrome/Satin Nickel/Polished Chrome



#### SWAROVSKI CRYSTAL COLLECTION - UNIQUE and INDIVIDUAL

- ◆ EXCLUSIVE finial designs, using GENUINE Swarovski Crystal
- ♦ 8 SUPERB designs
- ◆ SPECTACULAR light refraction











- Suitable for 20mm and 28mm diameter poles
- ◆ Available in Polished Chrome 22, Polished Brass 23, Satin Brass 24, Satin Nickel 29, Antique Brass 70 or Matt Black 157

### SLIMLINE ELEGANCE - OVAL RAIL

#### sleek and modern

- ◆ BESPOKE MADE TO MEASURE SERVICE product produced to your specific requirements
- ◆ ATTRACTIVELY styled 40mm or 70mm Oval profile
- ◆ Suitable for LIGHT to MEDIUM weight curtains
- ◆ STRAIGHT runs only
- ◆ Supplied as a COMPLETE system
- ◆ HAND DRAWN only
- ◆ SUPERB engineering
- ◆ Suitable for WAVE system





Stock Unit CUT TO SIZE
Stock Length 6 metre
Dimensions 40 x 22mm

#### 8087020 OVAL RAIL SYSTEM


Stock Unit CUT TO SIZE
Stock Length 6 metre
Dimensions 70 x 22mm

• 5 finishes available 08 – Satin Aluminium


22 – Polished Chrome


29 – Satin Nickel

157 – Matt Black 166 – Gloss White



- ◆ Can be Face fix or Top fix
- ◆ Face fix and Top fix brackets available for holding up to 5 rails
- Choice of BALL BEARING roller glider, RUBBERISED WHEEL roller or simple TEFLON coated glider
- Suitable for wave systems





 The Discreet and "EASY LOCK" Top fix brackets can also be used with this system

### SLIMLINE ELEGANCE - RECTANGULAR RAIL

#### sleek and modern

- ◆ BESPOKE MADE TO MEASURE SERVICE product produced to your specific requirements
- ◆ ATTRACTIVELY styled 40mm Rectangular profile
- ◆ Suitable for LIGHT to MEDIUM weight curtains
- ◆ STRAIGHT runs only
- ◆ Supplied as a COMPLETE system
- ♦ HAND DRAWN only
- ◆ SUPERB engineering
- ◆ Suitable for WAVE system

#### 8084015 RECTANGULAR RAIL SYSTEM

Stock Unit CUT TO SIZE
Stock Length 6 metre
Dimensions 40 x 15mm

• 5 finishes available 08 – Satin Aluminium


22 - Polished Chrome


29 - Satin Nickel


157 – Matt Black 166 – Gloss White

- Wide and varied choice of finials available or simple end stop
- Can be Face fix or Top fix
- Face fix and Top fix brackets available for holding up to 5 rails
- Choice of BALL BEARING roller glider or simple TEFLON coated glider
- ◆ Suitable for wave systems











### ALUMINIUM T BAR - ultra modern sleek styling


- ◆ ATTRACTIVELY styled aluminium profile
- ◆ BESPOKE MADE TO MEASURE SERVICE product produced to your specific requirements
- ◆ Suitable for LIGHT to MEDIUM weight curtains
- ◆ STRAIGHT runs only
- ◆ 25mm x 25mm profile available in Satin Aluminium, Polished Chrome or Satin Nickel finish





#### **ALUMINIUM T BAR**

Code	819-08	919-08
Stock Unit	CUT TO SIZE	CUT TO SIZE
Stock Length	6 metre	6 metre
Dimensions	15 x 15 x 2mm	25 x 25 x 2mm



**T** Bar is inserted into slot of Bracket and is then securely attached by a grub screw. (Allen key provided)

### ALUMINIUM T BAR - ultra modern sleek styling

- ◆ ATTRACTIVELY styled aluminium profile
- ◆ BESPOKE MADE TO MEASURE SERVICE product produced to your specific requirements
- ◆ Suitable for LIGHT to MEDIUM weight curtains
- ◆ STRAIGHT runs only
- ◆ 25mm x 25mm profile available in Satin Aluminium, Polished Chrome or Satin Nickel finish

DIAMOND MOTIF Code	15mm <b>T</b> BAR 11743-08	25mm T BAR 11243-08
Stock Unit	EACH	EACH
Dimensions	20 x 20mm	30 x 30mm
CIRCLE MOTIF	15mm T BAR	25mm T BAR
Code	11742-08	11242-08
Stock Unit	EACH	EACH
Diameter	22mm	32mm

 SQUARE MOTIF
 15mm T BAR
 25mm T BAR

 Code
 11744-08
 11244-08

 Stock Unit
 EACH
 EACH

 Dimensions
 20 x 20mm
 30 x 30mm

- Used as a decorative feature close to the end of the profile and in the centre
- Secured by a small grub screw (Allen key provided)

 T BAR SUPPORT
 15mm T BAR
 25mm T BAR


 Code
 11740-80-08
 11240-80-08

 Stock Unit
 EACH
 EACH

 Base plate diameter
 38mm
 48mm

- ◆ Projection from WALL to BACK of bar 80mm
- ◆ Supplied with Metal Fixing Plate

#### **ALUMINIUM T BAR FITTINGS**



#### FLAT FACE END STOP

15mm T BAR	25mm I BAR
11748-08	11248-08
EACH	EACH
53mm	59mm
	EACH

#### **CURVED FACE END STOP**

with metal eye	15mm T BAR	25mm T BAR
Code	11747-08	11247-08
Stock Unit	EACH	EACH
Length	53mm	59mm

• End Stop held securely in place by grub screws


#### FLAT FACE GLIDER

with metal eye	15mm T BAR	25mm T BAR
Code	11746-08	11246-08
Stock Unit	EACH	EACH
Length	53mm	59mm

#### **CURVED FACE GLIDER**

with metal eye	15mm T BAR	25mm T BAR
Code	11745-08	11245-08
Stock Unit	EACH	EACH
Length	41mm	51mm

◆ Plastic lined for smooth efficient running




### ENLIGHTENED IDEAS - simple brilliance

- ◆ LED Technology UNIQUE and INNOVATIVE
- ◆ BESPOKE MADE TO MEASURE SERVICE product produced to your specific requirements
- ◆ Suitable for LIGHT to MEDIUM weight curtains
- ◆ 20mm Hand Drawn Channel System Aluminium finish only
- ◆ Finials with Integrated LED's sets NEW standards in Window Decoration
- ◆ Colour filters available transform the MOOD and AMBIENCE quickly and simply
- Wireless assembly. Comes complete with 4m of cable and integral on/off switch
- ◆ LOW electricity consumption
- ◆ CE approved
- ◆ 12V Plug connection MUST BE ORDERED SEPARATELY
- ◆ Display plaques available please ask for details




Ideal for kiddies bedrooms, or people who may have a fear of the dark. The light is soft, soothing, restful and unobtrusive



# ENLIGHTENED IDEAS - simple brilliance

- ◆ STUNNING colourways
- ◆ Suffix 250 = Blue LED Module Suffix 260 = White LED Module



# ENLIGHTENED IDEAS - simple brilliance

- ◆ STUNNING colourways
- ◆ Filter Sets are optional extras

