

Fixings and Fasteners

WOODSCREWS

- ✓ When using woodscrews in wood it is ADVISABLE to drill a small pilot hole. This will help to prevent wood split
- ✓ A dab of SOAP or CANDLE WAX along the thread of wood or metal thread screws will aid insertion and removal of screw
- ◆ To ensure secure fixing, use the CORRECT size drill bit and wall plug
- ◆ Our woodscrews are suitable for fixing into WOOD, MASONRY or other SOLID fixtures
- For other specialist fixings consult your local Hardware store



ELECTRO BRASSED Steel WOODSCREWS

Recessed (Phillips Head) and Countersunk

Stock Unit	BOX 200	
Sizes	9054	4 x ¾"
	9055	5 x ¾"
	9056	6 x ¾"
	9057	6 x 1"
	9059	8 x 1½"
	9060	10 x 1½"
	9061	10 x 2"

- ◆ Electro Brassed
- ◆ Traditional style, tapered shank gives dowel effect



TWINTHREADED ZINC PLATED WOODSCREWS

Recessed (Phillips Head) and Countersunk


Stock Unit BOX 200

Sizes	9030	6 x ¾"	9031	8 x ¾"	90310	10 x ¾"
	9032	6 x 1"	9033	8 x 1"	90345	10 x 1¼"
	9035	6 x 1½"	9034	8 x 1¼"	9038	10 x 1½"
			9037	8 x 1½"	9040	10 x 2"
			90381	8 x 1¾"	9042	10 x 2½"BOX 100
			9039	8 x 2"	9045	10 x 3" BOX 100

- Reduced shank diameter, will help prevent wood split
- Recessed head, ideal for use with Electric Screwdrivers
- Case hardened
- Twinthreaded and steeper thread angle will reduce drive time by half over standard woodscrews
- ◆ Zinc Plated to provide greater corrosion resistance



 We also stock a small range of popular sizes of woodscrew in CHROME PLATED and B.M.A (Bronze) finishes and 2 sizes of 10g woodscrew with a WHITE painted head



PLASTIC PLUGS

Stock Unit	Colour	Screw Size	Hole Dia.	Plug Length
67-125 BOX 1000	Yellow	4, 6, 8, 10	5mm	25mm
(10 strips x 100)				
67-130 BOX 1000	Red	6, 8, 10, 12	6mm	35mm
(10 strips x 100)				
67-231 BOX 1000	Brown	10, 12, 14	$7 \mathrm{mm}$	45mm
(10 strips x 100)				

- ◆ Anti rotation fins
- General purpose lightweight plug for use in sound brick, blockwork or concrete
- Profiled body for extra grip

POLE INSERTS and HOLLOW WALL FIXINGS

32 METAL THREADED STAR INSERTS

Stock unit EACH

Code 3220 3225 3232 3238 3251

for 19mm 25mm 32mm 38mm 51mm dia. tubing

- Anchor for attaching products with metal thread dowel screws into hollow tube takes '4" Whitworth metal thread
- ◆ Self levelling sprung steel

42 TAPERED WOOD PLUGS

Stock unit EACH

Code 4232 4238 4251 4263 4276

for 32mm 38mm 51mm 63mm 76mm dia. tubing

- Anchor for attaching products with wood thread dowel screws into hollow tube
- Centre marked for accurate hole placement

88 DOWEL SCREWS

Stock unit EACH

Length overall

Code

Gauge

| Wood to Wood Dowel | 882 | 883 | 51mm (2") | 63mm (2½") | 12g |

Wood to Metal Dowel

 $\begin{array}{cccc} \textit{Code} & \textbf{885} & \textbf{886} \\ \textit{Length overall} & 51 \text{mm} \; (2") & 63 \text{mm} \; (2 \%") \\ \textit{Gauge} & \%" \; \text{Whitworth} \\ \end{array}$

Metal to Metal Dowel (not shown)

Code 887
Length overall 51mm (2")
Gauge 4" Whitworth



2735 SPRING TOGGLES

Stock unit BOX 100

Available as M3 x 50mm M5 x 50mm M5 x 80mm Hole Dia. 11mm 14mm 14mm

- ◆ Zinc plated helps to prevent corrosion
- Ideal for fixing into cavity walls and ceilings of low structural strength
- Machine screws for ease of tightening
- "Wings" spread load over wide area for extra load capacity

PLASTERBOARD FIXINGS

R7103 SLEEVE and 25mm COUNTERSUNK SCREW

Stock unit BOX 100

R7101 SLEEVE and 35mm PANHEAD SCREW

Stock unit BOX 100

R7102 SLEEVE and 50mm COUNTERSUNK SCREW

Stock unit BOX 100

R7106 FIXING SLEEVE ONLY

Stock unit BOX 50


- ◆ No drill required simply pierce paper skin and drive home
- Screw and sleeve can be easily removed (e.g. when decorating)
- Flange prevents accidental push-through in plasterboard
- Supplied with Zinc Plated screws helps to prevent corrosion

R7104 SLEEVE and 35mm PANHEAD SCREW with SCREWDRIVER

Stock unit EACH (contains 200 fixings)

• Supplied with FREE Phillips head Screwdriver









STAPLE GUNS



- ◆ Powerful and sturdy recoilless action
- ◆ Ergonomic design, built for ease of operation
- ◆ Suitable for right and left handed use
- ◆ Built-in safety catch to prevent accidental firing
- ◆ Easy loading action
- ◆ Adjustable impact force on 33 and 34 Staple Gun



23 JUNIOR STAPLE GUN

Stock unit EACH

Loading capacity 156 fine wire staples

Tums

Weight 530g Dimensions 175 x 80mm

◆ Suitable for Rapid 13 staples 4mm, 6mm and 8mm

33 MEDIUM STAPLE GUN

Stock unit EACH

Loading capacity 156 fine wire staples

Weight 820g Dimensions 175 x 105mm

• Suitable for Rapid 13 staples 4mm, 6mm, 8mm, 10mm and 12mm



34 HEAVY DUTY STAPLE GUN

Stock unit EACH

Loading capacity 84 flat wire staples

Weight 870g Dimensions 175 x 115mm

• Suitable for Proline 140 staples 6mm, 8mm, 10mm, 12mm and 14mm



3 STAPLE REMOVER

Stock unit EACH

- Ergonomic design, balanced weight
- Vice grip jaws removes both staple legs safely and quickly



- ◆ Ergonomic design, balanced weight
- ◆ Recoiless action
- ◆ 2 year guarantee
- ◆ 3.5m cord with fitted 3 pin plug
- ◆ Built in safety catch
- ◆ Suitable for right and left hand use
- ✓ Always hold the gun firmly against the stapling object

R606 ELECTRIC TACKER

Stock unit EACH Weight 1.6kg

Loading capacity 100 brads or 175 staples

- ◆ Complete with sturdy Metal Carry Case
- ◆ Suitable for 300 Brads 16mm and 20mm or Rapid 606 staples 12mm



553 ELECTRIC TACKER

Stock unit EACH Weight 1.6kg

Loading capacity 100 brads or 175 staples

 Suitable for Rapid 300 Brads 16mm and 20mm or Rapid 53 staples 8mm, 10mm and 12mm



RAPID STAPLES and BRADS

13 STAPLES

Stock Unit BOX 5000

Stock sizes 4mm, 6mm, 8mm, 10mm and 14mm

For use with 23 and 33 staple guns

140 STAPLES

Stock Unit BOX 5000

Stock sizes 8mm, 10mm, 12mm, and 14mm

For use with 34 staple gun

300 BRADS

Stock Unit BOX 880 Stock sizes 16mm and 20mm For use with 553 Electric Tacker

53 STAPLES

Stock Unit BOX 2500

Stock sizes 8mm, 10mm and 12mm For use with 553 Electric Tacker

606 STAPLES

Stock Unit BOX 4000 Stock sizes 12mm

For use with 606 Electric Tacker

